

Mt. Pisgah Arboretum Mushroom Show: Lane County, OR

Fungi and Slime Mold Species Display List, 1983 - 2006

Compiled by Cascade Mycological Society

N = new; first time identified in show

TOT = # of times in show

| SCIENTIFIC NAME | TOT | <2000s | | | | | | | <1990s | | | | | | | <1980s | | | FN | NOMENCLATRURAL NOTES | | | | |
|--------------------------------|-----|--------|----|----|----|----|----|----|--------|----|----|----|----|----|----|--------|----|----|----|----------------------|----|----|----|---------------|
| | | 06 | 05 | 04 | 03 | 02 | 01 | 00 | 99 | 98 | 97 | 96 | 95 | 94 | 93 | 92 | 91 | 90 | | | 89 | 85 | 83 | |
| Gilled Mushrooms | | | | | | | | | | | | | | | | | | | | | | | | |
| Agaricus albolutescens | 1 | | | | | | | | | | | | | | | | | | X | | | | | |
| Agaricus arvensis | 4 | | | | | | X | | | | | | | | | X | X | | | | X | | | |
| Agaricus augustus | 14 | | | X | X | X | | X | X | X | X | X | X | X | X | | X | | | X | | | | |
| Agaricus californicus | 2 | | | | | | | | | X | | | | | | X | | | | | | | | |
| Agaricus campestris | 17 | | X | X | | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| Agaricus crocodilinus | 1 | | | | | | | | X | | | | | | | | | | | | | | | |
| Agaricus cupreobrunnesens | 1 | | N | | | | | | | | | | | | | | | | | | | | | |
| Agaricus diminutivus | 6 | | | | | X | X | X | | | X | | X | X | | | | | | | | | | |
| Agaricus hondensis | 16 | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | | X | | | | | | |
| Agaricus osecanus | 1 | | | N | | | | | | | | | | | | | | | | | | | | |
| Agaricus perrarus | 7 | | | | | X | | | | | X | X | X | X | X | | X | | | | | | | |
| Agaricus praeclaresquamosus | 19 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | A. melegris |
| Agaricus semotus | 4 | | X | | | | | | | | | | X | | | | | X | X | | | | | |
| Agaricus silvicola | 8 | | | | | | X | | | X | X | X | X | X | X | | X | | | | | | | |
| Agaricus smithii | 2 | | X | N | | | | | | | | | | | | | | | | | | | | |
| Agaricus subrufescens | 1 | | | | | | | | | X | | | | | | | | | | | | | | |
| Agaricus subrutilescens | 19 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | | | | |
| Agaricus subsolidipes | 1 | | N | | | | | | | | | | | | | | | | | | | | | |
| Agaricus xanthodermus | 10 | | X | X | X | X | X | X | | X | | X | | | | | X | | | | | | | |
| Agrocybe dura | 2 | | | | | X | | | | | | | | | | X | | | | | | | | |
| Agrocybe praecox | 1 | | N | | | | | | | | | | | | | | | | | | | | | |
| Agrocybe sororia | 1 | | | | | | | | | | | | | | X | | | | | | | | | |
| Amanita calyptroderma | 13 | X | X | X | X | X | | | X | X | X | X | X | X | X | | | | X | | | | | A. calyptrata |
| Amanita cokeri | 2 | | | X | | | | X | | | | | | | | | | | | | | | | |
| Amanita constricta | 12 | X | X | | X | X | X | X | X | X | X | | | | X | X | | | | | | | | |
| Amanita farinosa | 6 | | X | | | X | | X | X | | | | | | | | | X | X | | | | | |
| Amanita franchetii | 16 | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | | X | | X | | | | A. aspera |
| Amanita gemmata | 17 | X | X | | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | | | | | |
| Amanita inaurata | 1 | | | | | | | | | | X | | | | | | | | | | | | | |
| Amanita muscaria var. alba | 1 | | N | | | | | | | | | | | | | | | | | | | | | |
| Amanita muscaria var. muscaria | 20 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| Amanita muscaria var. formosa | 5 | | | | | X | | X | X | | | | | X | | | | X | | | | | | |
| Amanita novinupta | 1 | | | N | | | | | | | | | | | | | | | | | | | | |
| Amanita pachycolea | 15 | X | X | X | X | X | X | X | X | X | X | | | X | X | | X | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------------------|
| Amanita pantherina | 18 | X | X | X | X | X | | X | X | X | | X | X | X | X | X | X | X | X | | |
| Amanita phalloides | 3 | | | | | | | | | X | | | | | | | | X | X | | |
| Amanita porphyria | 11 | | X | X | | X | X | | X | | X | | | X | X | X | X | | | | |
| Amanita "pruittii" | 2 | | | | X | | X | | | | | | | | | | | | | 2 | |
| Amanita silvicola | 20 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | |
| Amanita smithiana | 17 | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | | | | |
| Amanita vaginata | 17 | X | X | X | | X | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| Armillaria albolanaripes | 10 | | X | X | X | X | | | X | X | | X | | | X | | | X | | | Floccularia albolanaripes |
| Armillaria ostoyae | 20 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | Armillariella mellea |
| Asterophora lycoperdoides | 5 | | | X | X | | X | X | | X | | | | | | | | | | | |
| Baeospora myosura | 2 | | | | | | X | | | | | | | | | | | X | | | |
| Bolbitius vitellinus | 14 | | X | X | X | X | X | | X | X | X | X | X | | X | | | X | X | | |
| Camarophyllus niveus | 1 | | | | | | | | | X | | | | | | | | | | | |
| Camarophyllus pratensis | 1 | | | | | X | | | | | | | | | | | | | | | |
| Catathelasma imperialis | 12 | | X | | X | X | X | | X | X | X | | X | X | X | X | | | | | |
| Catathelasma ventricosa | 19 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | |
| Chroogomphus pseudovinicolor | 5 | X | | | | | X | | | X | | | | X | | | | X | | | |
| Chroogomphus rutilus | 8 | X | | X | X | X | | X | | | | | | | | | | X | X | X | |
| Chroogomphus tomentosus | 20 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | |
| Chroogomphus vinicolor | 17 | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | | X | X | | |
| Clitocybe avellaneialba | 5 | | | X | X | | X | | X | | | | | | | | | | | X | |
| Clitocybe candida | 1 | | | N | | | | | | | | | | | | | | | | | |
| Clitocybe clavipes | 11 | | | X | | | X | X | | X | | X | X | X | X | X | X | X | X | | |
| Clitocybe dealbata | 15 | X | | X | X | X | X | | | X | X | X | X | X | X | X | X | X | | X | |
| Clitocybe deceptiva | 6 | | X | | | | | X | | X | | | | X | | X | | | | X | C. suaveolens |
| Clitocybe dilatata | 18 | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | C. cerrusata |
| Clitocybe familia | 1 | | N | | | | | | | | | | | | | | | | | | |
| Clitocybe gibba | 8 | | | | X | | X | | | X | X | X | | X | X | | | X | | | |
| Clitocybe gigantea | 7 | | | X | | | | | | X | | | | X | X | | X | X | X | | Leucopaxillus giganteus |
| Clitocybe inversa | 1 | | N | | | | | | | | | | | | | | | | | | |
| Clitocybe nebularis | 7 | | X | | X | | | | | | X | X | X | | X | | | | | X | |
| Clitocybe nuda | 13 | | X | X | | X | X | X | | X | X | X | X | | X | X | X | X | | | Lepista nuda |
| Clitocybe odora | 17 | | X | X | X | | X | X | X | X | X | X | X | X | | X | X | X | X | | |
| Clitocybe odora var. pacifica | 1 | N | | | | | | | | | | | | | | | | | | | |
| Clitocybe sclerotoidea | 3 | | | | | | | | X | X | | | | | | | | X | | | |
| Clitocybe squamulosa | 1 | | | | | | | X | | | | | | | | | | | | | |
| Clitocybe subconnexa | 2 | | X | | | | | | X | | | | | | | | | | | | |
| Clitocybe tarda | 1 | | | N | | | | | | | | | | | | | | | | | |
| Clitocybe variabilis | 2 | | | | X | | X | | | | | | | | | | | | | | |
| Clitocybula familia | 3 | | | | X | | | | X | | | | | | X | | | | | | Collybia familia |
| Clitopilus prunulus | 14 | X | X | X | X | X | X | X | | | X | X | X | X | X | X | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Collybia acervata | 19 | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | | |
| Collybia alkalivirens | 1 | | | | | | X | | | | | | | | | | | | | | | |
| Collybia butyracea | 4 | X | | X | | | X | | | | | | | | | | | X | | | | |
| Collybia cirrhata | 5 | | X | X | X | | | X | X | | | | | | | | | | | | | |
| Collybia confluens | 9 | X | | X | X | | X | X | | X | | | | | X | | | | | | | |
| Collybia dryophylla | 3 | X | X | | X | | | | | | | | | | | | | | | | | |
| Collybia familia | 1 | | | N | | | | | | | | | | | | | | | | | | |
| Collybia fuscopurpurea | 5 | | | | | X | | | | X | | | X | X | X | | | | | | | |
| Collybia maculata | 2 | | | X | X | | | | | | | | | | | | | | | | | |
| Collybia oregonensis | 5 | | X | | X | | X | X | | | | X | | | | | | | | | | |
| Collybia racemosa | 2 | | | | X | | | | X | | | | | | | | | | | | | |
| Collybia radicata | 1 | | | | | X | | | | | | | | | | | | | | | | |
| Collybia tuberosa | 8 | | | X | X | | X | | X | X | X | X | | | | | | | | | | |
| Conocybe filaris | 1 | | | | | | | | | | X | | | | | | | | | | | |
| Conocybe tenera | 6 | | X | X | | | | | | | | X | X | | | X | | | | | X | |
| Coprinus atramentarius | 12 | | X | | | | | X | X | | X | X | X | X | X | X | X | X | X | X | X | X |
| Coprinus comatus | 19 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Coprinus ephemerus | 2 | | | X | | | | | X | | | | | | | | | | | | | |
| Coprinus lagopus | 14 | X | | | X | | X | X | X | X | | X | X | | X | X | | X | X | | | |
| Coprinus micaceus | 16 | | X | X | X | X | X | X | X | X | X | | | X | X | X | | | X | X | | |
| Coprinus niveus | 2 | | | | | | X | | | | | | | | | | | | X | | | |
| Coprinus radiatus | 1 | | N | | | | | | | | | | | | | | | | | | | |
| Cortinarius alboviolaceus | 19 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Cortinarius armillatus | 1 | | | | | | | | | | | | | | X | | | | | | | |
| Cortinarius calochrous | 1 | | | N | | | | | | | | | | | | | | | | | | |
| Cortinarius cinnabarinus | 1 | | N | | | | | | | | | | | | | | | | | | | |
| Cortinarius fulmineus | 1 | | N | | | | | | | | | | | | | | | | | | | |
| Cortinarius fulvo-ochraceus | 1 | | | | | | | X | | | | | | | | | | | | | | |
| Cortinarius gentilis | 1 | | | | | | | X | | | | | | | | | | | | | | |
| Cortinarius glaucopus group | 4 | X | X | | X | X | | | | | | | | | | | | | | | | |
| Cortinarius idahoensis | 1 | | | | | | | X | | | | | | | | | | | | | | |
| Cortinarius laniger | 3 | | | | | X | | X | | | X | | | | | | | | | | | |
| Cortinarius lebrotoni | 1 | | | | | | | X | | | | | | | | | | | | | | |
| Cortinarius luteoarmillatus | 1 | | | | | | | | X | | | | | | | | | | | | | |
| Cortinarius luteus | 1 | | | | | | | | | | | | | | X | | | | | | | |
| Cortinarius multiformis | 1 | | | | | | | | | | X | | | | | | | | | | | |
| Cortinarius mutabilis | 1 | | | | | | | X | | | | | | | | | | | | | | |
| Cortinarius olympianus | 5 | X | | X | X | X | X | | | | | | | | | | | | | | | |
| Cortinarius percomis | 7 | | X | | X | X | X | X | | | | | | | | | | | | X | | |
| Cortinarius plumiger | 1 | | | | | | | | X | | | | | | | | | | | | | |
| Cortinarius ponderosus | 14 | X | X | X | X | X | X | X | X | X | X | X | | | | X | | | | | | |

| | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------------------|
| Cortinarius pseudoarquatus | 1 | | | | | | | | X | | | | | | | | | | | |
| Cortinarius pseudocyanites | 1 | | | | X | | | | | | | | | | | | | | | |
| Cortinarius ridigipes | 1 | | | | | | | X | | | | | | | | | | | | |
| Cortinarius salor | 2 | | X | | | | | X | | | | | | | | | | | | |
| Cortinarius subfoetidus | 10 | | | X | X | X | | X | X | X | X | X | X | X | X | X | | | | |
| Cortinarius traganus | 18 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Cortinarius vanduzerensis | 10 | | X | X | X | X | X | | X | X | X | X | | | | X | | | | |
| Cortinarius violaceus | 18 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Crepidotus applanatus | 5 | | X | X | X | X | X | | | | | | | | | | | | | |
| Crepidotus herbarum | 7 | | X | | X | X | X | X | X | X | | | | | | | | | | |
| Crepidotus mollis | 4 | | X | | | | | X | X | | | | | X | | | | | | |
| Crepidotus versutus | 1 | | | | | | | | | | | | | | | | | | X | |
| Cystoderma ambrosii | 1 | | N | | | | | | | | | | | | | | | | | |
| Cystoderma amianthinum | 16 | | | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Cystoderma cinnabarinum | 5 | | | X | X | X | | X | X | | | | | | | | | | | |
| Cystoderma fallax | 16 | | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X |
| Cystoderma granulosa | 7 | | X | X | X | X | X | X | X | | | | | | | | | | | |
| Damocybe huronensis v. huronensis | 1 | N | | | | | | | | | | | | | | | | | | |
| Dermocybe californica | 1 | | | N | | | | | | | | | | | | | | | | Cortinarius californicus |
| Dermocybe cinnamomea | 16 | X | X | X | X | | X | X | X | X | X | | X | X | X | X | | X | | Cortinarius cinnamomeus |
| Dermocybe croceofolius | 1 | | N | | | | | | | | | | | | | | | | | |
| Dermocybe croceus | 2 | | | X | | X | | | | | | | | | | | | | | 1 Cortinarius croceus |
| Dermocybe phoenicea | 18 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | Cortinarius phoeniceus |
| Dermocybe melachius | 1 | | | | | | | X | | | | | | | | | | | | Cortinarius melachius |
| Dermocybe sanguinea | 5 | | X | | X | | X | X | | X | | | | | | | | | | Cortinarius sanguinea |
| Dermocybe semisanguinea | 3 | | | X | X | | X | | | | | | | | | | | | | Cortinarius semisanguinea |
| Entoloma clypeatum | 1 | | | | | | X | | | | | | | | | | | | | |
| Entoloma madidum | 8 | | | X | X | | X | | | X | X | | | X | | | | | X | X |
| Entoloma nitidum | 2 | | | | X | | X | | | | | | | | | | | | | |
| Entoloma rhodopolium | 4 | | | | | X | | X | | X | X | | | | | | | | | |
| Entoloma trachysporum var. purpu | 2 | | | | | X | | X | | | | | | | | | | | | |
| Flammulina velutipes | 2 | | | | | | | | | X | X | | | | | | | | | |
| Galerina autumnalis | 17 | | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Galerina heterocystis | 1 | | | | X | | | | | | | | | | | | | | | |
| Gomphidius glutinosus | 13 | X | | X | | | X | X | X | X | X | X | X | X | X | X | | | X | |
| Gomphidius oregonensis | 17 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | |
| Gomphidius smithii | 1 | | | | | | | X | | | | | | | | | | | | |
| Gomphidius subroseus | 20 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Gymnopilus aeruginosus | 4 | | | X | | | | | | X | X | | X | | | | | | | |
| Gymnopilus bellulus | 3 | X | X | | X | | | | | | | | | | | | | | | |
| Gymnopilus croceolutens | 2 | | | X | X | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | |
|--------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Marasmius fuscopurpureus | 4 | | | | | | | | | X | X | | X | | | | | X | |
| Marasmius magnisporus | 4 | | | | | | X | | | | | | X | | | | | | X |
| Marasmius oreades | 17 | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X |
| Marasmius picatulus | 10 | X | X | | | X | | | X | X | X | X | | X | | X | | | X |
| Marasmius scorodonius | 1 | | N | | | | | | | | | | | | | | | | |
| Marasmius umbillicatus | 3 | | | X | X | X | | | | | | | | | | | | | |
| Melanoleuca cognata | 3 | | X | | | X | | | | | | | X | | | | | | |
| Melanoleuca graminicola | 1 | | N | | | | | | | | | | | | | | | | |
| Melanoleuca melaleuca | 4 | | X | X | | X | | X | | | | | | | | | | | |
| Mycena acicula | 4 | | | X | X | X | | X | | | | | | | | | | | |
| Mycena adonis | 6 | X | X | X | X | X | | | | | | | | X | | | | | |
| Mycena alcalina | 11 | | X | X | X | | X | | | X | X | X | | X | | X | X | X | |
| Mycena aurantiidisca | 16 | X | X | | X | X | | X | X | | X | X | X | X | X | X | X | X | X |
| Mycena aurantiomarginata | 10 | X | X | X | | X | X | | | X | X | | | X | | X | | | |
| Mycena capillaris | 1 | | N | | | | | | | | | | | | | | | | |
| Mycena elegantula | 1 | | | | | | | | X | | | | | | | | | | |
| Mycena epipterygia | 17 | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | |
| Mycena galericulata | 3 | | | | | | | | | | | | | X | X | | | | X |
| Mycena haematopus | 13 | X | | X | X | | X | X | X | X | | | X | X | X | X | | | X |
| Mycena iodiolens | 6 | X | | | | | | X | | X | X | | | | | | | X | X |
| Mycena maculata | 2 | X | | X | | | | | | | | | | | | | | | |
| Mycena monticola | 2 | | | | | | | X | X | | | | | | | | | | |
| Mycena murina (group) | 3 | | X | | | | | X | | X | | | | | | | | | |
| Mycena oregonensis | 3 | | | | X | X | | | | X | | | | | | | | | |
| Mycena pura | 19 | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X |
| Mycena purpureofusca | 5 | X | X | X | X | | | X | | | | | | | | | | | |
| Mycena strobilinoides | 1 | | | | | | | | | X | | | | | | | | | |
| Mycromphile arbuticola | 1 | | | | | | | | | | | X | | | | | | | |
| Myxomphaila maura | 4 | X | X | | | X | X | | | | | | | | | | | | |
| Nolanea sericea | 4 | X | X | X | | | | | | | | | | | | | | | X |
| Noleana sp. | 1 | | | | | | | | X | | | | | | | | | | |
| Omphalina chrysophylla | 1 | | | X | | | | | | | | | | | | | | | |
| Omphalina ericetorum | 6 | | | | | X | | | X | X | X | X | | X | | | | | |
| Omphalina luteicolor | 15 | X | X | X | X | X | X | X | X | X | X | X | | X | X | | | | X |
| Oomphalina wynniae | 2 | | | | | | | X | | | | | | | X | | | | |
| Panaeolus campanulatus | 7 | | | X | | | | X | | | X | | X | X | X | | | X | |
| Panaeolus castaneifolius | 1 | | | X | | | | | | | | | | | | | | | |
| Panaeolus fimicola | 1 | | | | X | | | | | | | | | | | | | | |
| Panaeolus foenisecii | 12 | X | | | | | X | | | X | X | X | X | X | X | | X | X | X |
| Panaeolus retirugis | 1 | | | | X | | | | | | | | | | | | | | |
| Panaeolus semiovatus | 1 | | | X | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | |
|------------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------------------|
| Panaeolus solidipes | 2 | | | X | | | | | X | | | | | | | | | | | |
| Panaeolus strictipes | 1 | | | | X | | | | | | | | | | | | | | | |
| Panaeolus subbalteatus group | 2 | | | | | | X | | | | | | | | X | | | | | |
| Panellus mitis | 2 | | | X | | | X | | | | | | | | | | | | | |
| Panellus serotinus | 10 | | X | | | X | X | | X | | X | X | X | X | | | | X | X | |
| Panus rudis | 3 | | | X | | | | | | | X | | | | | | | | X | |
| Panus serofinus | 1 | | | N | | | | | | | | | | | | | | | | |
| Paxillus atrotomentosus | 17 | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Paxillus involutus | 19 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Paxillus panuoides | 6 | | | X | | | | | X | | X | | | X | | | X | | X | |
| Phaeocollybia californica | 6 | | | X | | X | | X | | | | | X | | | | | X | | 1992 = P. cf. californica |
| Phaeocollybia kauffmanii | 13 | X | | X | X | X | X | X | X | | X | X | | X | X | | X | | X | |
| Phaeocollybia olivacea | 6 | | | X | X | | X | | X | | X | | | X | | | | | | |
| Phaeocollybia sipei | 1 | | | N | | | | | | | | | | | | | | | | |
| Pholiota adiposa | 3 | | | | | X | | X | X | | | | | | | | | | | |
| Pholiota astragalina | 8 | | | | | | X | X | X | X | | X | | X | | | X | X | | |
| Pholiota aurivella | 9 | | | X | X | X | | X | | X | | | X | X | X | | | | | |
| Pholiota brunnescens | 1 | | | N | | | | | | | | | | | | | | | | |
| Pholiota decorata | 1 | | N | | | | | | | | | | | | | | | | | |
| Pholiota destruens | 11 | X | X | | X | X | | X | X | X | | X | | | X | | X | | X | |
| Pholiota ferruginea | 1 | | N | | | | | | | | | | | | | | | | | |
| Pholiota flammans | 12 | | X | X | X | X | X | X | | X | X | | X | | | X | X | | | |
| Pholiota limonella | 2 | | X | N | | | | | | | | | | | | | | | | |
| Pholiota malicola (group) | 3 | | | | | | X | | | | | X | | X | | | | | | |
| Pholiota mutabilis | 4 | | | | | X | | | | | | | X | | X | | X | | | |
| Pholiota paludosella | 1 | | | N | | | | | | | | | | | | | | | | |
| Pholiota pulchella | 1 | | N | | | | | | | | | | | | | | | | | |
| Pholiota squarroso-adiposa | 8 | | X | X | X | | | | | X | X | X | | | | | X | X | | Pholiota limonella |
| Pholiota squarrosoides | 1 | | | | | | | | | | | | | | X | | | | | |
| Pholiota terrestris | 18 | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | |
| Pholiota ulmarius | 1 | | | N | | | | | | | | | | | | | | | | |
| Phyllotopsis nidulans | 1 | | | | | | | | X | | | | | | | | | | | |
| Pleurotus dryinus | 3 | | | | X | | X | | | | | | | X | | | | | | |
| Pleurotus ostreatus | 15 | | X | X | X | X | | X | X | X | X | X | X | X | X | | X | X | | |
| Pleurotus porrigens | 18 | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | Pleurocybella porrigens |
| Pleurotus sapidus | 1 | | | | X | | | | | | | | | | | | | | | |
| Pleurotus ulmarius | 1 | | N | | | | | | | | | | | | | | | | | |
| Pluteus atomarginatus | 3 | X | | | | X | | X | | | | | | | | | | | | |
| Pluteus cervinus | 18 | X | X | | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | |
| Pluteus flaveofulgineus | 1 | | | | | | | | X | | | | | | | | | | | |
| Pluteus lutescens | 1 | | | | | | | X | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | |
|------------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Pluteus pellitus | 7 | X | X | X | X | | | X | X | X | | | | | | | | | |
| Psathyrella candolleana | 2 | | X | | | | | X | | | | | | | | | | | |
| Psathyrella gracilis | 6 | | X | | | | | X | X | | X | | X | | | | | | |
| Psathyrella hydrophila | 1 | | | X | | | | | | | | | | | | | | | |
| Psathyrella longistriata | 7 | X | X | | | X | | X | X | | X | | | X | | | | | |
| Psathyrella velutina | 2 | | X | | | | | | | | X | | | | | | | | |
| Psilocybe azurensis | 3 | | | X | | X | | | | | | X | | | | | | | |
| Psilocybe baeocystis | 3 | | | | | | | | | | X | | | | X | | | | X |
| Psilocybe coprophila | 1 | | | | | | | | | | | | X | | | | | | |
| Psilocybe cyanescens | 11 | | X | X | X | X | | | X | X | | X | | | X | | X | X | X |
| Psilocybe pelliculosa | 5 | | | | | | | | X | | X | | | | X | | X | X | |
| Psilocybe semilanceata | 6 | | | X | | | | | | X | X | | | X | | | X | X | |
| Psilocybe stunzii | 4 | | X | | | | | X | | | | | | X | | | X | | |
| Rhodocollybia maculata | 2 | | | X | | | X | | | | | | | | | | | | |
| Rozites caperata | 19 | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X |
| Russula aeruginea | 13 | | X | X | | X | X | X | X | X | X | | X | | X | | | X | |
| Russula albonigra | 15 | X | X | | X | X | X | X | | X | X | X | | X | X | X | | X | X |
| Russula alutacea | 3 | | X | | | | | | X | X | | | | | | | | | |
| Russula azurea | 1 | | N | | | | | | | | | | | | | | | | |
| Russula bicolor | 15 | X | | | X | X | X | X | X | X | X | X | X | X | X | | X | | X |
| Russula brevipes | 19 | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X |
| Russula brevipes var. acrior | 1 | | N | | | | | | | | | | | | | | | | |
| Russula cascadenis | 1 | | | | | | | X | | | | | | | | | | | |
| Russula crassotunicata | 6 | | | X | | | | | | X | | X | | X | X | | X | | |
| Russula cremoricolor | 3 | X | X | | | | X | | | | | | | | | | | | |
| Russula decolorans | 2 | | | | | | X | | | X | | | | | | | | | |
| Russula densifolia | 5 | X | | | | | X | | | | | | X | | X | | | X | |
| Russula emetica | 9 | X | X | | X | X | X | | X | | | X | | X | | X | | | |
| Russula fragrantissima | 20 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Russula integra | 1 | | N | | | | | | | | | | | | | | | | |
| Russula laurocerasi | 2 | X | | | | | | | | X | | | | | | | | | |
| Russula nigricans | 19 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Russula occidentalis | 1 | | | | | | | X | | | | | | | | | | | |
| Russula olivacea | 4 | | X | | X | X | X | | | | | | | | | | | | |
| Russula pectinata | 1 | | | | | | | | | X | | | | | | | | | |
| Russula placita | 1 | | | | | | | | | | | | | | | | X | | |
| Russula puellaris | 1 | | N | | | | | | | | | | | | | | | | |
| Russula queletii | 1 | | N | | | | | | | | | | | | | | | | |
| Russula rosacea | 19 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Russula sororia group | 3 | X | | | | | | | X | | | | | | X | | | | |
| Russula urens | 1 | | N | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------------------|
| Phaeolus schweinitzii | 20 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | Polyporus schweinitzii |
| Phellinus gilvus | 1 | | | | X | | | | | | | | | | | | | | | | | |
| Phellinus igniarius | 2 | | | | X | | | | | | | | | | X | | | | | | | |
| Phellinus nigrans | 1 | | | | | | | X | | | | | | | | | | | | | | |
| Phellinus pini | 16 | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | | | X | | | Fomes pini |
| Phellinus weirii | 3 | | | | X | | X | | | | | | | | | | | | X | | | |
| Polyporus badius | 12 | X | X | X | | X | X | X | X | X | X | X | | | | X | | | | | X | P. picipes |
| Polyporus borealis | 1 | | | | | | | | | | | | | | | | X | | | | | |
| Polyporus elegans | 19 | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | Melanopsis elegans |
| Polyporus squamosus | 4 | X | | | | | | | | | | | | | | | X | X | | | X | |
| Polyporus varius | 4 | | X | | X | X | | X | | | | | | | | | | | | | | |
| Poria corticola | 3 | | | X | | | | X | | X | | | | | | | | | | | | |
| Pycnoporellus fibrillosus | 9 | | | | X | X | X | | X | X | | | X | X | X | | X | | | | | |
| Pycnoporus cinnabarinus | 9 | | X | X | | X | X | X | X | X | X | | | | X | | | | | | | |
| Schizophyllum commune | 9 | X | X | X | X | | | | | | | | | | | X | X | X | | | X | X |
| Trametes hirsuta | 5 | X | | X | X | | X | | | | | X | | | | | | | | | | |
| Trametes versicolor | 19 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | Coriolus versicolor |
| Trichaptum abietinus | 10 | X | X | X | X | | X | | X | X | | | X | | X | | X | | | | | |
| Tyromyces albellus | 9 | | | X | | X | | X | | | | X | | | X | | X | X | X | X | X | |
| Tyromyces amarus | 1 | | | | | X | | | | | | | | | | | | | | | | |
| Tyromyces borealis | 2 | | | | | | | | | | | | | X | X | | | | | | | |
| Tyromyces caesius | 11 | X | X | X | X | X | | X | | X | | | | X | X | | | | | | X | X |
| Tyromyces chioneus group | 12 | X | X | X | X | X | X | | X | X | X | X | | | X | | | | | | | |
| Tyromyces mollis | 6 | | X | | X | X | X | | X | | | | | | X | | | | | | | |
| Crust and Parchment Fungi | | | | | | | | | | | | | | | | | | | | | | |
| Aleureodiscus sp. | 2 | | | X | | | X | | | | | | | | | | | | | | | |
| Irpex lacteus | 2 | X | N | | | | | | | | | | | | | | | | | | | |
| Merulius tremellosus | 6 | X | X | X | X | X | X | | | | | | | | | | | | | | | |
| Radulum orbiculare | 9 | | | X | | | X | X | X | X | X | | X | | X | X | | | | | | |
| Stereum hirsutum | 14 | X | X | X | X | X | X | | X | X | X | X | | X | X | X | | | | | | |
| Stereum striatum | 2 | | | | | X | | X | | | | | | | | | | | | | | |
| Thelephora palmata | 10 | | X | X | X | X | X | | X | X | X | | | X | X | | | | | | | |
| Thelephora terrestris | 17 | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | | X | X | X | | |
| Tooth Fungi | | | | | | | | | | | | | | | | | | | | | | |
| Auriscalpium vulgare | 10 | | X | X | | | X | | X | X | X | | X | X | | X | | | | | X | |
| Bankera fuligineo-alba | 1 | | | | | | X | | | | | | | | | | | | | | | |
| Creolophus cirrhatus | 2 | | | | | | | | | X | | | | | | X | | | | | | |
| Echinodontium tinctorium | 19 | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | |
| Hericium abietis | 20 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | |

| | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------------------------|
| Ramaria tsugina var. prasina | 1 | | | | | | | X | | | | | | | | | | | | | | |
| Ramaria vinosimaculans | 2 | | | | | | X | | X | | | | | | | | | | | | | |
| Ramariopsis kunzei | 2 | | | X | | | | | | X | | | | | | | | | | | | |
| Sparassis crispa | 20 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | S. radicata |
| Typhula sp. | 2 | | | | X | | | X | | | | | | | | | | | | | | |
| Chanterelles | | | | | | | | | | | | | | | | | | | | | | |
| Cantharellus cascadenis | 2 | X | N | | | | | | | | | | | | | | | | | | | |
| Cantherellus cibarius var. roseocar | 5 | X | X | X | X | | | X | | | | | | | | | | | | | | |
| Cantherellus formosus | 20 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | C. cibarius formerly misapplied |
| Cantherellus subalbidus | 20 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | |
| Craterellus cornucopioides | 9 | | | X | X | | X | | | X | | | | X | | X | X | X | X | X | | |
| Craterellus tubaeformis | 20 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | Cantharellus (Craterellus) infundibu |
| Gomphus bonarii | 1 | | | | X | | | | | | | | | | | | | | | | | |
| Gomphus clavatus | 20 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | |
| Gomphus floccosus | 20 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | |
| Gomphus kauffmanii | 16 | X | X | X | X | X | X | X | X | X | | X | X | | X | X | X | X | X | X | | |
| Polyozellus multiplex | 19 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | |
| Jelly Fungi | | | | | | | | | | | | | | | | | | | | | | |
| Auricularia auricula | 5 | | | | X | | X | | | | | X | | | | | | | | X | X | |
| Calocera cornea | 6 | X | X | X | X | | X | X | | | | | | | | | | | | | | |
| Calocera viscosa | 4 | X | | X | | X | X | | | | | | | | | | | | | | | |
| Dacrymyces palmatus | 17 | X | X | X | X | | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | |
| Heterotextus alpinus | 8 | | X | X | | | X | X | X | | X | X | X | | | | | | | | | Guepiniopsis alpinus |
| Phlogiotis helvelloides | 17 | X | X | X | X | X | X | X | | X | | X | X | X | X | | X | X | X | X | | |
| Pseudohydnum gelatinosum | 19 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | | |
| Stomach Fungi | | | | | | | | | | | | | | | | | | | | | | |
| Astraeus pteridis | 12 | | X | X | | | X | X | | X | X | X | X | X | X | | X | | | X | | |
| Astreus hygrometricus | 7 | X | | | | X | X | | | X | | | | X | | X | | | | | X | |
| Battarrea phalloides | 5 | X | | X | | | | | | | | | | X | | X | X | | | | | |
| Bovista colorata | 1 | | | | | X | | | | | | | | | | | | | | | | |
| Bovista nigrescens | 1 | | | | | | | | | | | X | | | | | | | | | | |
| Bovista pila | 4 | | | | | | | X | | | X | | | X | | | | | | X | | |
| Bovista plumbea | 8 | | | | | | | | X | | X | | X | | X | X | X | X | X | X | | |
| Calbovista subsculpta | 1 | | | | | | | | | | | | | | | | | | | | X | |
| Calvatia booniana | 4 | | | | | | X | | | | X | X | | | X | | | | | | | |
| Calvatia cyathiformis | 5 | | | | | | X | X | | | X | X | | | X | | | | | | | |
| Calvatia gigantea | 1 | | | | | | | | | | X | | | | | | | | | | | |
| Gautieria monticola | 2 | | | | | X | X | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | |
|--------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hypoxylon multiforme | 1 | | | X | | | | | | | | | | | | | | | |
| Lachnellula occidentalis | 1 | | | | | | | X | | | | | | | | | | | |
| Lachnum bicolor | 1 | | N | | | | | | | | | | | | | | | | |
| Lasiosphaeria ovina | 1 | | | | X | | | | | | | | | | | | | | |
| Leotia lubrica | 6 | | X | | | X | X | | | | X | X | | | | X | | | |
| Leotia viscosa | 1 | | N | | | | | | | | | | | | | | | | |
| Mitrula abietis | 1 | | N | | | | | | | | | | | | | | | | |
| Mollisia ligni | 3 | | X | X | X | | | | | | | | | | | | | | |
| Morchella elata group | 1 | | | | | | | | | | | | | | X | | | | |
| Morchella esculenta | 2 | | | | | X | | | | | | | X | | | | | | |
| Neocteta irregularis | 3 | X | X | | | X | | | | | | | | | | | | | |
| Orbellia sp. | 1 | | N | | | | | | | | | | | | | | | | |
| Otidea alutacea | 1 | | | | | | | | | | | | | | X | | | | |
| Otidea concinna | 6 | X | X | X | | X | | X | X | | | | | | | | | | |
| Otidea leporina | 5 | | X | X | X | | X | | X | | | | | | | | | | |
| Otidea onotica | 8 | X | X | X | X | X | X | | X | X | | | | | | | | | |
| Otidia tomueski | 1 | | N | | | | | | | | | | | | | | | | |
| Peziza badia | 2 | X | | | | | | X | | | | | | | | | | | |
| Peziza brunneatrus | 1 | | | X | | | | | | | | | | | | | | | |
| Peziza repanda | 1 | | | X | | | | | | | | | | | | | | | |
| Peziza sylvestris | 3 | | | X | | | | X | | X | | | | | | | | | |
| Pilobolus sp. | 1 | | | | | | | X | | | | | | | | | | | |
| Pithya vulgaris | 1 | | | | X | | | | | | | | | | | | | | |
| Psuedoplectania nigrella | 3 | X | X | | | | | | X | | | | | | | | | | |
| Rhizisma punctatum | 5 | X | | X | X | X | | X | | | | | | | | | | | |
| Rhizina undulata | 1 | | N | | | | | | | | | | | | | | | | |
| Sarcosoma latahensis | 1 | | N | | | | | | | | | | | | | | | | |
| Scutillinia scutellata | 5 | X | | X | | X | X | | | | | | | X | | | | | |
| Trichoglossum hirsutum | 1 | | N | | | | | | | | | | | | | | | | |
| Xylaria hypoxylon | 19 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Xylaria polymorpha | 2 | | | | | | | | | | | X | X | | | | | | |
| Slime Molds | | | | | | | | | | | | | | | | | | | |
| Brefeldia maxima | 1 | | | | | | | | | X | | | | | | | | | |
| Fuligo septica | 6 | | | | X | | | X | X | X | | X | | X | | | | | |
| Hemitrichia clavata | 1 | | | | | | | | | | | | | X | | | | | |
| Leocarpus fragilis | 3 | | | | | X | | | X | | | | | X | | | | | |
| Lycogala epidendrum | 12 | | X | X | X | X | | X | X | | X | X | | X | X | | | | X |
| Physarum sp | 1 | | N | | | | | | | | | | | | | | | | |
| Stemonitis fusca | 1 | | | X | | | | | | | | | | | | | | | |
| Stemonitis splendens | 1 | | | | | | | X | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
| TOTAL | 20 | 248 | 330 | 370 | 349 | 307 | 329 | 279 | 275 | 278 | 306 | 253 | 280 | 221 | 249 | 258 | 182 | 200 | 212 | 193 | 188 | |
| New taxa to the show | | 9 | 39 | 43 | 22 | 15 | 42 | 15 | 36 | 44 | | | | | | | | | | | | |
| Out of area or cultured species: | | | | | | | | | | | | | | | | | | | | | | |
| Agaricus brunnescens | 2 | X | X | | | | | | | | | | | | | | | | | | | |
| Amanita virosa | 1 | | | | | | | | | X | | | | | | | | | | | | |
| Grifola frondosa | 2 | | | X | | | | | | X | | | | | | | | | | | | |
| Gyromitra californica | 1 | | | | | | | | X | | | | | | | | | | | | | |
| Lactarius lignyotus | 1 | | | | | | | | | | | | | | | | | | | X | | |
| Lentinus edodes | 2 | | | X | | | | | | | | | | | | | | | X | | | |
| Phaeolepiota aurea | 3 | | | | | | X | X | X | | | | | | | | | | | | | |
| Phallus ravenelii | 1 | | | | | | | | | X | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |

Footnotes:

- 1 - Was Cortinarius croceus; followed taxonomy from http://www.mycena.sfsu.edu/courses/Sierra_List.html
- 2 - Amanita "pruittii" is a new species being described. It is known from wet prairie habitats west of Eugene.

Notes:

First show in 1981. Lists not available for 81, 82, 84, 86-88
 Identifications are by different people with different skill levels
 Nomenclatural changes can confuse records